MONTEREY PENINSULA

WATER MANAGEMENT DISTRICT
5 HARRIS COURT, BLOG. G • P.O. BOX 85 • MONTEREY, CA 93942 • (831) 658-5601 • FAX (831) 644-9558

RESIDENTIAL INSPECTION REPORT

	ction - Permits: Pre-Inspection New Construction Demo/Credits
Previous inspection date: 2/06 PROPERTY ADDRESS: 802 17/	Remodel/Addition Re-inspection MILE DRIVE
PROPERTY ADDRESS: 802 111 CITY: PACIFIC GROVE	
and the second control of the second control	
ASSESSOR=S PARCEL NUMBER: 006	5 - 611 - 034 transfer date:
OWNER=S NAME: CRAIC	BSPERMIT#
ERSON CONTACTED: SEANNUC	PHONE:
WAS NOT found to be in compermit # Conservation standards a	ted at the above address. At the time of the inspection, the property apliance with MPWMD conservation standards and/or with MPWMD Water listed in Regulation 14 of the District Rules and Regulations and arguirements specific to this property are on file at the District office.)
MEAR OF CONSTRUCTION 1940'S N	O. OF BEDROOMS: 2 APPROX. SQUARE FEET: 1500 L
YEAR OF CONSTRUCTION: NO	O. OF BEDROOMS: _ APPROX. SQUARE FEET: _ 1 SCO_L
. The second parameters $oldsymbol{w}_{oldsymbol{\lambda}}$ and $oldsymbol{w}_{oldsymbol{\lambda}}$	be reported and cleared or appealed <u>within 21 days</u> of inspection date. ATER FIXTURE INVENTORY:
Name of fixture	Fixture Count Fixture Value Fixture Credit
Vash basin nd wash basin Master bath	x 1.0 unit each =
oilet, 1.6 gallon per flush MANS AS	x unit each = x 1.7 units each =
oilet, 1.0 gallon per flush	x 1.3 units each =
oilet, 1/2 gallon per flush	x 1.0 units each =
oilet, Non-ultra low flow	x 1.7 units each =
arge bathtub (over 55 gal.) aster bathtub	x 3.0 units each =
aster bath separate shower stall	x units each = x units each =
andard tub (with or without showerhead)	$\frac{x}{x} = \frac{1}{2.0} \text{ units each} = \frac{1}{2.0} = 1$
ower stall with one head	x = 2.0 units each =
lditional showerhead*	x 2.0 units each =
tchen sink/dishwasher (DW) MAYTAG	
tchen sink/ultra-low consumption DW	x 1.5 units each =
shwasher additional (type)	x 2.0 units each =
aundry or Utility sink (1 per residential site)	x 2.0 units each =
ashing machine (WM) FIX TURE	A 2.0 diffes cach =
det	x 2.0 units each
ar sink or vegetable sink	x 1.0 units each =
stant-access hot water system	
wimming pool (surface area)	. <u> </u>
ther: I WATER SPICENT CENTER ther: OF LOT ATTACENT TO HOUSE	X =
ther: OF COT, APIACEN 1 10 HOUSE	The state of the
EMPTY LOT!	Total Credits ixture count x fixture value to assess total fixture credit available.
Maximum credit of four (4) fixture units are available for	r multiple showerheads, but permit is required for installation. s, multiple utility sinks, and multiple showerhead installations. (Pursuant to District Rule 24.)
istern Information:	Gallon storage capacity:
spector=s Notes: PLEASE PROVIDE CLEAR	AND CONVINCING EVIDENCE OF HISTORICAL LANDSCHIPING
AND IRRIGATION DRIOR TO 1985 FOR	APN 006-611-035. I FAUCST/SPIANUT NOTED IN CEN
OF MACANT ARMA OF LOT ADTACEA	UT TO HOUSE.
N.B IN SUN ROOM.)	
The following items	s WERE NOT in compliance (see back of form):
Showerheads Faucet Aerators	
	ACTION REQUIRED
Items not in compliance must be corrected	within days or by close of escrow, whichever is sooner.
Items not in compliance must be corrected Re-inspection required. Please call 658-56	within days or by close of escrow, whichever is sooner. 601 to schedule.
Items not in compliance must be corrected Re-inspection required. Please call 658-56	within days or by close of escrow, whichever is sooner.
Items not in compliance must be corrected Re-inspection required. Please call 658-56 Itemized receipts or (other)	within days or by close of escrow, whichever is sooner. 601 to schedule. mail to P.O. Box 85, Monterey, CA 93942 or fax to 644-9558.
Items not in compliance must be corrected Re-inspection required. Please call 658-56 Itemized receipts or (other) Water Release Form & Permit Application F	within days or by close of escrow, whichever is sooner. 601 to schedule. mail to P.O. Box 85, Monterey, CA 93942 or fax to 644-9558. Form is required from (jurisdiction)
Items not in compliance must be corrected Re-inspection required. Please call 658-56 Itemized receipts or (other) Water Release Form & Permit Application F Fees are due. (Please call District for amounts)	within days or by close of escrow, whichever is sooner. 601 to schedule. mail to P.O. Box 85, Monterey, CA 93942 or fax to 644-9558.
Items not in compliance must be corrected Re-inspection required. Please call 658-56 Itemized receipts or (other) Water Release Form & Permit Application F	within days or by close of escrow, whichever is sooner. 601 to schedule. mail to P.O. Box 85, Monterey, CA 93942 or fax to 644-9558. Form is required from (jurisdiction) unt.)
Items not in compliance must be corrected Re-inspection required. Please call 658-56 Itemized receipts or (other) Water Release Form & Permit Application F Fees are due. (Please call District for amounts)	within days or by close of escrow, whichever is sooner. 601 to schedule. mail to P.O. Box 85, Monterey, CA 93942 or fax to 644-9558. Form is required from (jurisdiction) unt.)
Items not in compliance must be corrected Re-inspection required. Please call 658-56 Itemized receipts or (other) Water Release Form & Permit Application F Fees are due. (Please call District for amounts)	within days or by close of escrow, whichever is sooner. 601 to schedule. mail to P.O. Box 85, Monterey, CA 93942 or fax to 644-9558. Form is required from (jurisdiction) nunt.) MAGREL BOW 5-11-06

white copy - applicant yellow copy - MPWMD

C:\Documents and Settings\Owner\Desktop\Combined Inspection Report.doc 6/2/2005















