

APPLICATION FOR VARIANCE REGARDING WATER CONNECTION PERMITS

Rule 24 of the District Rules and Regulations states that upon request an applicant may apply for a variance from standards incorporated in the District's rules and Regulations. Variances may be approved when: a) special circumstances exist, as defined in the Rules and Regulations; b) when strict interpretation and enforcement of any standard would cause undue hardship; and c) when the granting of such a variance will not tend to defeat the purpose of the Rules and Regulations. In order to be considered for a variance hearing, all applicants must submit a completed application with payment of a non-refundable processing fee (\$250 for less than half acre-foot of water, \$500 for half - one acre-foot of water, and \$750 for more than one acre-foot of water, plus \$70.00 an hour for more than 10 hours of staff time), and any other information necessary to evaluate the case.

Applications must be received 5 weeks in advance of the next scheduled Board meeting in order to be considered for placement on the agenda. All applicants are required to provide the information requested on this form. This information will be used as the basis for finding on which the Board will support or deny your variance request. Submission of an incomplete application may constitute grounds for denial of your request.

APPLICANT INFORMATION
Applicant's Full ame: Elaine W. Rankin Mailing Address: 10 Vista Ladera City: Carmel ValleyState: CA Zip: 93924
Phone Number(s): Work (-) - Home (831) 659-2149
Name of Agent(s) to Represent Applicant:
City: State: Zip:
Phone Number(s): Work (Home (
PROPERTY INFORMATION
Full Name of Property Owner: Rankin Family Trust Mailing Address: LO Vista Ladera City: Carmel Valley State: CT. Zip: 93924 Phone Number(s): Work () Home (831) 659 2149
Property Address: 10 Vista Ladeva City: C.V. State: C.A. Zip: 93924
Assessor's Parcel Number: 187 - 111 -027 -000 Property Area: Acres: 3.96 Square Feet: 864 (2001) ther:
Property Area: Acres: 3,96 Square Feet: 964 (22)
Past Land Use: residance
Present Land Use: residance
Proposed Land Use:
Existing buildings? Yes No No Types of uses and square footage: my home + 2rd unit: 4200+864 sq.ff
(PLEASE PROVIDE 5 YEARS OF WATER RECORDS) SUBMITTED BY APPLICANT

STATEMENT OF VARIANCE REQUEST

*If additional space is needed for response to any question, please continue on a separate piece of paper and attach to the back of this application.

From which rule(s) are you requesting a variance? In permit # 14059 essued for water (wpw) mb) for an additional appropriate meter and by by the garage of our primary residence in 1994, there is a statement deferring at separate meter.
Please state the special circumstances which distinguish your application from all others which are subject to enforcement of this process. The Delated meter for our Delated at Reast 1100 ft below the Policy on La Raycheria fol of in necessary to pump the water up hill from meter to house (100+th) plus) a Deadless tank at the Rouse there is nown neighborhood of Rouses and hood not there where we trult in 1975. Our particularly the apt is 1022 people. I particularly out the ladded lost a all plumbing, wint, pressure tank - for I memeter is impossible what difficulties or hardships would result if your variance request was denied? My hustand from Parkin died in 2006. Since that time I have had to rent the apt in Order to stay in my home. I cannot afford the paper by leponed (see and order listinate) that
What specific action are you requesting that the Board take? I speak to the board to either eliminate the need for a ship water adjoining the present one or, it not to allow me to wishall, the speak meter at the rouse. If it is a reasling of the second meter that is the object of this recline, could be responsible for schuldled report I same. "Istiffene with Please indicate if you intend to make a statement at the variance hearing, and list the names of any other individuals who may speak on your behalf. (IS) I am 34 yes ald have asked my son, one willow to allow the second meters. I would less to appear at this tetre,

SUBMITTED BY APPLICANT



VARIANCE APPLICATION

EXHIBIT 2

PROJECT INFORMATION

*If additional space is needed for response to any questions, please continue on a separate piece of paper and attach it to the back of this application.
Type of Project: New Construction * Remodel/Addition
Proposed New Use: (Please refer to the District's current Fixture Unit/Use Category sheet for assistance with this question.)
Residential No. Dwellings! Total No. Fixture Units (Residential Only)
Commercial/Industrial/Governmental
Type of Use: Carctaler / rental Square Footage: 864
Other (Specify):
Current Zoning Classification: (Pesidontial)
Name of water company which services the property: CA. AM. Water Co. Andy Key the local representative has expressed support for a larvance. Do you feel this project will use less water than that calculated by the District? If so, please to get
Do you feel this project will use less water than that calculated by the District? If so, please explain how much you believe the project will use, and the basis on which you make this his sassumption.
Has this project been approved by the local jurisdiction? If so, please list or attach a copy of all conditions which have been imposed on the project. (Attach a copy of these conditions and approvals received.) Blog. permit granted in 1993. It is on file in my. Co. Building DeptSalmas.
Does the applicant intend to obtain a municipal or county building permit for the project within ninety (90) days following the granting of a water connection permit? If not, when will water be needed at the site?

I declare under penalty of perjury that the information in the application and on accompanying attachments is correct to the best of my knowledge and belief.
Signature of Applicant Robert of my knowledge and belief. Date/Location 2/07/11/2016/18/18/18/18/18/18/18/18/18/18/18/18/18/
NOTE TO APPLICANT: You may attach written findings for the Board to review and consider
in support of the action you have requested. Fee Paid _250 Receipt No Staff Initials A

FIGURED .

JOHN FORD CONSTRUCTION P.O. BOX 626 CARMEL VALLEY,CA 93924 PH# (831-659-4107 Ca Lic#548147

MPWMD

To: Mrs. Elaine Rankin 10 Vista Ladera Carmel Valley, Ca 93924 Ph# (831) 659-2149 6/25/2011

Proposal: New water line, Electrical service, Booster pump system and backflow preventer for new separate water system for rental unit.

(Note) This proposal does not include any charges by Cal-Am water for installing a separate water meter down by La Rancheria Rd. These cost if any are unknown at this time, also this bid does not include application or permit fees or any homeowner association fees if any.

This proposal is base on a new water meter set by Cal Am next to existing meter for main house,

This bid is to run 1100 ft of new water line from La Rancheria Rd up Vista Ladera Rd to existing booster station for main house water system and then to rental house.

This bid includes all materials,

Trenching Vista Ladera Rd. Driveway saw cutting and patching of Vista Ladera Rd, Neighbors driveways, Sanding, back filling and compacting of trench for new water line and electrical service and a new separate pressure boosting system for rental unit next to existing boosting system for main house and a new electrical sub- panel for pumps, (note) existing electrical system will not service two pumps and controls.

Plumbing sub Contract	\$ 12,000.00
Earthwork Sub Contract	\$ 28,000.00
Paving sub Contract	\$ 9,300.00
Electrical Sub Contract	\$ 8,500.00
Construction fees	\$ 7,275.00

Estimate Total \$65,075.00



1270

CALIFORNIA AMERICAN (CAPR) PRODUCTION

Usage Information Report

Account #		314625-5		mes Rankin		MPWMD
Premises # Utility	W	0501494 7	31 10	Vista Ladera		
·	•	•				
Bill Date	Utl	Meter #	U/R	Read Date	Reading	Usage
6/09/2011	W	X086515192	R	6/02/2011	653.00	614.00
5/03/2011	W	X086515192	Ŕ	4/28/2011	39.00	16.00
4/04/2011	W	X086515192	R	3/30/2011	23.00	23.00
4/04/2011	W	X086515192	R	3/03/2011	931.00	
3/03/2011	W	X086515192	R	2/28/2011	931.00	7.00
2/10/2011	W	X086515192	R	1/31/2011	924.00	45.00
1/05/2011	W	X086515192	R.	12/30/2010	879.00	2.00
12/03/2010	W	X086515192	R	11/30/2010	877.00	99.00
11/03/2010	W	X086515192	R	10/29/2010	778.00	127.00
10/05/2010	W	X086515192	R	9/30/2010	651.00	154.00
9/03/2010	W	X086515192	R	8/31/2010	497.00	160.00
8/04/2010	W	X086515192	R	7/30/2010	337.00	157.00
7/06/2010	W	X086515192	R	6/30/2010	180.00	123.00
6/03/2010	W	X086515192	R	5/28/2010	57.00	56.00
5/13/2010	W	X086515192	R	5/11/2010	1.00	
5/13/2010	W	0086515192	R	5/07/2010	2048.00	
4/09/2010	W	0086515192	R	3/31/2010	2063.00	18.00
3/09/2010	W	0086515192	R	2/26/2010	2045.00	70.00
2/15/2010	W	0086515192	R	1/29/2010	1975.00	26.00
2/12/2010	W	0086515192	R	1/29/2010	1949.00	26.00-
2/12/2010	W	0086515192	R	1/29/2010	1975.00	26.00
1/05/2010	M	0086515192	R	12/30/2009	194.00	4.00
12/03/2009	M	0086515192	R	11/30/2009	190.00	10.00
11/04/2009	W	0086515192	R	10/30/2009	180.00	14.00
10/05/2009	W	0086515192	R	9/30/2009	166.00	31.00
9/10/2009	W	0086515192	R	8/31/2009	135.00	20.00
8/07/2009	W	0086515192	R	7/31/2009	115.00	21.00
7/06/2009	M	0086515192	R	6/30/2009	94.00	26.00
6/11/2009	M	0086515192	R	5/29/2009	68.00	23.00
5/05/2009	M	0086515192	R	4/30/2009	45.00	20.00
4/06/2009	W	0086515192	R	3/31/2009	25.00	18.00
3/04/2009	M	0086515192	R	2/27/2009	7.00	7.00
2/02/2009	W	0086515192	R	1/28/2009		
2/02/2009	W	X086515192	R	1/14/2009	12.00	9.00
1/08/2009	W	X086515192	R	12/30/2008	3.00	
12/11/2008	W	X086515192	R	11/27/2008	3.00	3.00
12/11/2008	W	034995505	R	11/13/2008	308.00	3.00
11/05/2008	W	034995505	R	10/31/2008	305.00	23.00
10/03/2008	W	034995505	R	9/30/2008	282.00	22.00
9/04/2008	W	034995505	R	8/29/2008	260.00	12.00
8/29/2008	W	034995505	R	7/31/2008	248.00	21.00
8/28/2008	W	034995505	R	6/30/2008	227.00	20.00
8/26/2008	W	034995505	R	6/30/2008	207.00	41.00-
8/25/2008	W	034995505	R	7/31/2008	248.00	

CALIFORNIA AMERICAN (CAPR) PRODUCTION


Usage Information Report


### Description of the color of	Account #		314625-5		mes Rankin		
Bill Date Utl Meter # U/R Read Date Reading 8/05/2008 W 034995505 R 7/31/2008 248.00 7/09/2008 W 034995505 R 6/30/2008 248.00 10.00 6/04/2008 W 034995505 R 6/30/2008 248.00 10.00 5/05/2008 W 034995505 R 5/30/2008 1297.00 10.00 5/05/2008 W 034995505 R 3/31/2008 197.00 11.00 3/05/2008 W 034995505 R 3/31/2008 197.00 11.00 3/05/2008 W 034995505 R 2/29/2008 185.00 6.00 1/04/2008 W 034995505 R 1/30/2008 179.00 1.00 1/04/2008 W 034995505 R 1/30/2007 175.00 1.00 1/03/2007 W 034995505 R 1/31/2007 175.00 1.00 3/007 W 034995505 R 1/31/2007 175.00 1.00 3/007 W 034995505 R 1/31/2007 123.00 32.00 1.00 3/2007 W 034995505 R 8/30/2007 56.00 1.00 3/3/2007 W 034995505 R 8/30/2007 56.00 1.00 3/3/2007 W 034995505 R 6/28/2007 981.00 35.00 1.00 3/05/2007 W 034995505 R 5/31/2007 940.00 266.00 1.00 3/05/2007 W 034995505 R 5/31/2007 940.00 266.00 1.00 3/05/2007 W 034995505 R 3/30/2007 993.00 41.00 1.00 3/05/2007 W 034995505 R 1/30/2007 993.00 1.00 2/13/2007 W 034995505 R 1/30/2007 993.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 1.00 3/05/2007 W 034995505 R 1/30/2007 897.00 1.00 2/13/2006 W 034995505 R 1/30/2007 897.00 1.00 3/05/2006 W 034995505 R 1/30/2006 877.00 1.00 3/05/2006 W 034995505 R 1/30/2006 877.00 1.00 3/05/2006 W 034995505 R 3/31/2006 870.00 1.00 3/05/2006 W 034995505 R 3/31/2006 772.00 1.00 3/02/2006 W 034995505 R 3/31/2006 772.00 1.00 3/02/2006 W 034995505 R 3/31/2006 772.00 1.00 3/02/2006 W 034995505 R 3/31/2006 772.00 1.00 3/02/2005 W 034995505 R 3/31/2005 673.00 1.00 3/02/2005 W 0349	Premises #	7.7		31 10	Vista Ladera		
8/05/2008 W	utility	W					
8/05/2008 W	Bill Date	Utl	Meter #	U/R	Read Date	Reading	Usage
7/09/2008 W 034995505 R 6/30/2008 248.00 41.00 6/04/2008 W 034995505 R 5/30/2008 207.00 10.00 5/05/2008 W 034995505 R 4/30/2008 197.00 11.00 4/03/2008 W 034995505 R 3/31/2008 186.00 1.00 3/05/2008 W 034995505 R 1/30/2008 179.00 4.00 1.00 1/04/2008 W 034995505 R 1/30/2008 179.00 4.00 12/05/2007 W 034995505 R 11/30/2007 175.00 52.00 12/05/2007 W 034995505 R 11/30/2007 175.00 52.00 11/05/2007 W 034995505 R 11/30/2007 175.00 52.00 10/03/2007 W 034995505 R 10/31/2007 123.00 32.00 10/03/2007 W 034995505 R 10/31/2007 123.00 32.00 10/03/2007 W 034995505 R 8/30/2007 56.00 40.00 8/03/2007 W 034995505 R 8/30/2007 56.00 40.00 6/05/2007 W 034995505 R 6/28/2007 91.00 35.00 6/05/2007 W 034995505 R 5/31/2007 91.00 35.00 6/05/2007 W 034995505 R 5/31/2007 940.00 26.00 5/03/2007 W 034995505 R 5/31/2007 940.00 11.00 6/05/2007 W 034995505 R 5/31/2007 940.00 11.00 4/04/2007 W 034995505 R 3/30/2007 914.00 11.00 4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 1/30/2007 903.00 5.00 12/05/2006 W 034995505 R 1/30/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 898.00 1.00 12/05/2006 W 034995505 R 1/30/2007 897.00 1.00 12/05/2006 W 034995505 R 1/30/2007 897.00 1.00 12/05/2006 W 034995505 R 1/30/2007 897.00 1.00 12/05/2006 W 034995505 R 1/30/2006 866.00 22.00 1.00 10/04/2006 W 034995505 R 1/30/2006 866.00 22.00 8/03/2006 W 034995505 R 1/30/2006 845.00 28.00 9/06/2006 W 034995505 R 1/30/2006 845.00 22.00 1.00 10/04/2006 W 034995505 R 6/29/2006 845.00 22.00 6/05/2006 W 034995505 R 1/30/2006 704.00 12.00 11/03/2006 W 034995505 R 1/30/2006 704.00 12.00 11/03/2006 W 034995505 R 1/30/2006 705.00 12.00 12/02/2006 W 034995505 R 1/30/2006 705.00 12.00 12/02/2006 W 034995505 R 1/30/2006 705.00 12.00 11/03/2006 W 034995505 R 1/30/2006 705.00 12.00 12/02/2006 W 034995505 R 1/30/2006 705.00 12.00 12/02/2006 W 034995505 R 1/30/2006 705.00 12.00 12/02/2005 W 034995505 R 1/30/2005 719.00 2.00 12/02/2005 W 034995505 R 1/30/2005 667.00 12.00 1/05/2005 W 034995505 R 1/30/2005 667.00 12.00 10/04/2005 W 034995505 R 1/30/2005 667.00 20.							,
6/04/2008 W 034995505 R 5/30/2008 207.00 10.00						248.00	41.00
S						207.00	10.00
4/03/2008						197.00	11.00
3/05/2008			034995505			186.00	1.00
2/04/2008			034995505		2/29/2008	185.00	6.00
12/05/2007 W 034995505 R 11/30/2007 175.00 52.00 11/05/2007 W 034995505 R 10/31/2007 123.00 32.00 10/03/2007 W 034995505 R 9/28/2007 91.00 35.00 9/05/2007 W 034995505 R 8/30/2007 56.00 40.00 8/03/2007 W 034995505 R 6/28/2007 981.00 41.00 6/05/2007 W 034995505 R 6/28/2007 981.00 41.00 5/03/2007 W 034995505 R 5/31/2007 940.00 26.00 5/03/2007 W 034995505 R 3/30/2007 993.00 1.00 4/04/2007 W 034995505 R 2/28/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 5.00 1/04/2007 W 034995505 R 1/29/2006 897.00 5.00			034995505			179.00	4.00
11/05/2007 W 034995505 R 10/31/2007 91.00 35.00 9/05/2007 W 034995505 R 9/28/2007 91.00 35.00 9/05/2007 W 034995505 R 8/30/2007 16.00 35.00 7/03/2007 W 034995505 R 7/31/2007 16.00 35.00 7/03/2007 W 034995505 R 7/31/2007 981.00 41.00 6/05/2007 W 034995505 R 5/31/2007 940.00 26.00 5/03/2007 W 034995505 R 4/30/2007 914.00 11.00 4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 2/28/2007 9898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 899.00 5.00 12/05/2006 W 034995505 R 1/30/2007 897.00 1/04/2007 W 034995505 R 1/30/2007 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 866.00 21.00 11/03/2006 W 034995505 R 11/30/2006 866.00 21.00 10/04/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 8/31/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 845.00 23.00 8/03/2006 W 034995505 R 6/29/2006 845.00 23.00 6/05/2006 W 034995505 R 5/31/2006 794.00 38.00 7/05/2006 W 034995505 R 5/31/2006 794.00 38.00 7/05/2006 W 034995505 R 5/31/2006 776.00 22.00 6/05/2006 W 034995505 R 5/31/2006 776.00 12.00 5/03/2006 W 034995505 R 5/31/2006 772.00 1.00 1/03/2006 W 034995505 R 1/28/2006 772.00 1.00 1/03/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/28/2006 772.00 1.00 1/03/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2005 719.00 12.00 1/03/2006 W 034995505 R 1/30/2005 719.00 12.00 1/03/2005 W 034995505 R 1/30/2005 687.00 12.00 1/03/2005 W 034995505 R 1/30/2005 687.00 14.00 9/02/2005 W 034995505 R 6/30/2005 666.00 11.00 9/02/2005 W 034995505 R 6/30/2005 666.00 11.00 6/02/2005 W 034995505 R 6/30/2005 666.00 11.00 9/02/2005 W 034995505 R 6/30/2005 666.00 11.00 6/02/2005 W 034995505 R 6/30/2005 667.00 11.00 6/02/2005 W 034995505 R 6/30/2005 667.00 677.00 677.00 677.00 677.00 677.00 677.0			034995505		12/31/2007	175.00	
10/03/2007	12/05/2007	W	034995505	R	11/30/2007	175.00	
9/05/2007 W 034995505 R 8/30/2007 56.00 40.00 8/03/2007 W 034995505 R 7/31/2007 16.00 35.00 7/03/2007 W 034995505 R 6/28/2007 981.00 41.00 6/05/2007 W 034995505 R 5/31/2007 940.00 26.00 5/03/2007 W 034995505 R 4/30/2007 914.00 11.00 4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 1/30/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 9/29/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 8/31/2006 8794.00 388.00 7/05/2006 W 034995505 R 6/29/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 734.00 12.00 5/03/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 1/30/2006 722.00 6/05/2006 W 034995505 R 1/30/2006 722.00 1/03/2006 W 034995505 R 1/30/2006 722.00 1.00 3/02/2006 W 034995505 R 1/2/29/2005 719.00 2.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2005 717.00 12.00 1/03/2005 W 034995505 R 9/30/2005 673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 673.00 27.00 8/02/2005 W 034995505 R 5/31/2005 611.00 4/04/2005 W 034995505 R 6/30/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 2/28/2005 607.00	11/05/2007	W	034995505	R	10/31/2007	123.00	32.00
8/03/2007 W 034995505 R 7/31/2007 981.00 35.00 7/03/2007 W 034995505 R 6/28/2007 981.00 41.00 6/05/2007 W 034995505 R 5/31/2007 940.00 26.00 5/03/2007 W 034995505 R 4/30/2007 914.00 11.00 4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 2/28/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2006 897.00 5.00 1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 897.00 25.00 10/04/2006 W 034995505 R 10/31/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 845.00 <t< td=""><td>10/03/2007</td><td>W</td><td>034995505</td><td></td><td></td><td></td><td></td></t<>	10/03/2007	W	034995505				
7/03/2007 W 034995505 R 6/28/2007 981.00 41.00 6/05/2007 W 034995505 R 5/31/2007 940.00 26.00 4/04/2007 W 034995505 R 4/30/2007 914.00 11.00 4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 2/28/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 10/31/2006 817.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 817.00 23.00 8/03/2006 W 034995505 R 5/31/2006 794.00 38.00 7/05/2006 W 034995505 R 5/31/2006 774.00 38.00 7/05/2006 W 034995505 R 5/31/2006 774.00 12.00 5/03/2006 W 034995505 R 5/31/2006 774.00 12.00 5/03/2006 W 034995505 R 1/30/2006 7722.00 1.00 3/02/2006 W 034995505 R 1/30/2006 7722.00 1.00 3/02/2006 W 034995505 R 1/30/2006 7722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 7722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 7722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 7720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 7720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 7720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 771.00 12.00 12/02/2005 W 034995505 R 1/30/2005 717.00 12.00 10/04/2005 W 034995505 R 1/30/2005 687.00 14.00 9/02/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 1/30/2005 667.00 27.00 8/02/2005 W 034995505 R 6/30/2005 6660 11.00 4/04/2005 W 034995505 R 6/30/2005 6660 11.00 4/04/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 6/30/2005 6660 11.00 4/04/2005 W 034995505 R 6/30/2005 667.00 11.00 5/03/2005 W 034995505 R 6/30/2005 667.00 11.00 5/03/2005 W 034995505 R 1/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2/01/	9/05/2007	W	034995505				
6/05/2007 W 034995505 R 5/31/2007 940.00 26.00 5/03/2007 W 034995505 R 4/30/2007 903.00 11.00 4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 2/28/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 897.00 5.00 11/03/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 8/31/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 5/31/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 2/01/2006 W 034995505 R 1/30/2006 722.00 1.00 2/01/2006 W 034995505 R 1/30/2006 722.00 1.00 2/01/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 7705.00 18.00 11/02/2005 W 034995505 R 1/30/2005 705.00 18.00 10/04/2005 W 034995505 R 1/30/2005 705.00 18.00 9/02/2005 W 034995505 R 8/31/2005 6673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 666.00 20.00 7/05/2005 W 034995505 R 6/30/2005 666.00 20.00 5/03/2005 W 034995505 R 6/30/2005 666.00 20.00 6/02/2005 W 034995505 R 6/30/2005 666.00 20.00 5/03/2005 W 034995505 R 6/30/2005 666.00 20.00 5/03/2005 W 034995505 R 6/30/2005 666.00 20.00 5/03/2005 W 034995505 R 6/29/2005 667.00 20.00 5/03/2005 W 034995505 R 3/31/2005 607.00 2/01/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2/01/2005	8/03/2007		034995505				
5/03/2007 W 034995505 R 4/30/2007 914.00 11.00 4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 2/28/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 5.00 1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 10/04/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 10/31/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 794.00 38.00 7/05/2006 W 034995505 R 5/31/2006 734.00 12.00 <t< td=""><td>7/03/2007</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	7/03/2007						
4/04/2007 W 034995505 R 3/30/2007 903.00 5.00 3/05/2007 W 034995505 R 2/28/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2006 897.00 5.00 1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 10/31/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 6/29/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 722.00 1.00 <tr< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr<>							
3/05/2007 W 034995505 R 2/28/2007 898.00 1.00 2/13/2007 W 034995505 R 1/30/2007 897.00 5.00 1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 11/30/2006 866.00 21.00 10/04/2006 W 034995505 R 10/31/2006 866.00 21.00 9/06/2006 W 034995505 R 9/29/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 8/31/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 4/28/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 1/30/2006 722.00 1.00 2/01/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2005 717.00 12.00 11/02/2005 W 034995505 R 1/30/2005 717.00 12.00 11/02/2005 W 034995505 R 1/30/2005 705.00 18.00 10/04/2005 W 034995505 R 1/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 6673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 3/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 607.00 2/01/2005 W 034995505 R 3/31/20							
2/13/2007 W 034995505 R 1/30/2007 897.00 1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 9/29/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 3/31/2006 734.00 12.00 5/03/2006 W 034995505 R 4/28/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 1/30/2006 722.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 6/30/2005 687.00 14.00 9/02/2005 W 034995505 R 7/29/2005 646.00 27.00 8/02/2005 W 034995505 R 6/30/2005 667.00 27.00 8/02/2005 W 034995505 R 6/30/2005 666.00 11.00 6/02/2005 W 034995505 R 6/30/2005 666.00 11.00 6/02/2005 W 034995505 R 6/30/2005 615.00 4.00 5/03/2005 W 034995505 R 6/30/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 6/30/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 607.00 2/01/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 6/30/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 607.00 2/01/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 607.00 2/01/2005 W 034995505 R 3/31/2005 607.00							
1/04/2007 W 034995505 R 12/29/2006 897.00 5.00 12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 9/29/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 5/31/2006 722.00 1.00 3/02/2006 W 034995505 R 3/31/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 721.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00							1.00
12/05/2006 W 034995505 R 11/30/2006 892.00 26.00 11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 9/29/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 774.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 4/28/2006 722.00 1.00 3/02/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/28/2005 719.00 1.00 1/03/2006 W 034995505 R 11/30/2005 717.00 1			•				
11/03/2006 W 034995505 R 10/31/2006 866.00 21.00 10/04/2006 W 034995505 R 9/29/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 3/31/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 1/30/2006 721.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 8/31/2005 705.00 18.00 9/02/2005 W 034995505 R 8/31/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 3/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/28/2005 607.00 2/01/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 3/28/2005 607.00							
10/04/2006 W 034995505 R 9/29/2006 845.00 28.00 9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 3/31/2006 722.00 1.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 1/30/2006 722.00 1.00 1/03/2006 W 034995505 R 1/30/2006 721.00 1.00 1/03/2006 W 034995505 R 11/30/2006 720.00 1.00 1/03/2006 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 11/30/2005 705.00 18.							
9/06/2006 W 034995505 R 8/31/2006 817.00 23.00 8/03/2006 W 034995505 R 7/31/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 4/28/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 2/28/2006 721.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 1/28/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 615.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00							
8/03/2006 W 034995505 R 7/31/2006 794.00 38.00 7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 4/28/2006 722.00 1.00 3/02/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 2/28/2006 721.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 8/02/2005 W 034995505 R 8/31/2005 673.00 27.							
7/05/2006 W 034995505 R 6/29/2006 756.00 22.00 6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 4/28/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 2/28/2006 721.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 6/30/2005 626.00 11.00 4.00 5/03/2005 W 034995505 R 3/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00							
6/05/2006 W 034995505 R 5/31/2006 734.00 12.00 5/03/2006 W 034995505 R 4/28/2006 722.00 1.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 2/28/2006 721.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00							
5/03/2006 W 034995505 R 4/28/2006 722.00 4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 2/28/2006 721.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00							
4/04/2006 W 034995505 R 3/31/2006 722.00 1.00 3/02/2006 W 034995505 R 2/28/2006 721.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.0							12.00
3/02/2006 W 034995505 R 2/28/2006 721.00 1.00 2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 6/30/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 615.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00							1 00
2/01/2006 W 034995505 R 1/30/2006 720.00 1.00 1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00							
1/03/2006 W 034995505 R 12/29/2005 719.00 2.00 12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 4/29/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00							
12/02/2005 W 034995505 R 11/30/2005 717.00 12.00 11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00							
11/02/2005 W 034995505 R 10/31/2005 705.00 18.00 10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 4/29/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00							
10/04/2005 W 034995505 R 9/30/2005 687.00 14.00 9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 4/29/2005 611.00 4.00 4/04/2005 W 034995505 R 3/31/2005 607.00 2.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							
9/02/2005 W 034995505 R 8/31/2005 673.00 27.00 8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 4/29/2005 611.00 4.00 4/04/2005 W 034995505 R 3/31/2005 607.00 2.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							
8/02/2005 W 034995505 R 7/29/2005 646.00 20.00 7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 4/29/2005 611.00 4.00 4/04/2005 W 034995505 R 3/31/2005 607.00 2.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							
7/05/2005 W 034995505 R 6/30/2005 626.00 11.00 6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 4/29/2005 611.00 4.00 3/02/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2.00							
6/02/2005 W 034995505 R 5/31/2005 615.00 4.00 5/03/2005 W 034995505 R 4/29/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							
5/03/2005 W 034995505 R 4/29/2005 611.00 4/04/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							
4/04/2005 W 034995505 R 3/31/2005 611.00 4.00 3/02/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							
3/02/2005 W 034995505 R 2/28/2005 607.00 2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							4.00
2/01/2005 W 034995505 R 1/28/2005 607.00 2.00							
=1 :=1 : '			-				2.00

CALIFORNIA AMERICAN (CAPR) PRODUCTION

Usage Information Report

Account #	_	314625-5	Ja	mes Rankin		
Premises #		0501494	31 10	Vista Ladera		
Utility	W					
Bill Date	Utl	Meter #	U/R	Read Date	Reading	Usage
12/02/2004	W	034995505	R	11/30/2004	603.00	8.00
11/02/2004	W	034995505	R	10/29/2004	595.00	24.00
10/05/2004	W	034995505	R	9/30/2004	571.00	53.00
9/02/2004	W	034995505	R	8/31/2004	518.00	45.00
8/03/2004	W	034995505	R	7/30/2004	473.00	23.00
7/02/2004	W	034995505	R	6/30/2004	450.00	13.00
6/02/2004	W	034995505	R	5/28/2004	437.00	19.00
5/04/2004	W	034995505	R	4/30/2004	418.00	6.00





MONTEREY PENINSULA WATER MANAGEMENT DISTRICT

Payment From: ELAINE RANKIN

10 VISTA LADERA, CARMEL VALLEY, CA Receipt Number : Invoice Number :

Date:

R07142011001 07142011001 July 14, 201

Description	Amount
	\$ 250.00
· PAID AMOUNT	\$ 250.00

Property Address

Contact Number

(831) 69 2149

Receipt Account

One-Time

Receipt Info

10 VISTA LADERA, CV

Payment Type

Check Payment

ELAINE W. RANKIN	$\frac{90-7162}{3222}41553$	1752
0 VISTA LADERA CARMEL VALLEY, CA 93924-9423	DATE 7/09/11	
PAY TO THE MES. Lenn. Water	Margary Ant	2600
ORDER OF / MEY, PENA. MILLES	0 - 11 11 - 1	X00
CHASE D	Cones, of first	DOLLARS (1)
JPMorgan Chase Bank, N.A. www.Chase.com	100	Λ
MEMO	Clause It to	anki w
#322271627# 8663	272636#1752	