

EXHIBIT 7-B

Maintenance & Water Quality Pumping Schedule*
2014

| Wells | January | February | March | April | May | June | July | Aug | September | October | November | December |
|-------------------------|---------|----------|-------|-------|-------|-------|-------|-------|-----------|---------|----------|----------|
| Scarlett Well No. 8 | | | | | | | | | | | | |
| Los Laureles Well No. 5 | 14 | 18 | 11 | 8 | 13 | 10 | 8 | 12 | 9 | 14 | 10 | 9 |
| Los Laureles Well No. 6 | 15 | 19 | 12 | 9 | 14 | 11 | 9 | 13 | 10 | 15 | 12 | 10 |
| Garzas Well No. 3 | 19 | 11 | 3 & 4 | 1 & 2 | 5 & 6 | 2 & 3 | 1 & 2 | 4 & 5 | 2 & 3 | 6 & 7 | 3 & 4 | 1 & 2 |
| Garzas Well No. 4 | 20 | 12 | 5 & 6 | 3 & 4 | 7 & 8 | 4 & 5 | 3 | 6 & 7 | 4 & 5 | 8 & 9 | 5 & 6 | 3 & 4 |
| Panetta Well No. 1 | | 10-Feb | | | | | | | | | | |
| Panetta Well No. 2 | | 10 | | | | | | | | | | |
| Robles Well No. 3 | | 17 | | | | | | | | | | |

Scarlett Well No. 8, Panetta well 1 & 2, Robles Well 03 will be run only to meet sampling (8:00:00 AM 4pm)

Garzas Wells No. 3 and No. 4 will be pumped 2 days per week, one week per month for 8 hours per day. (8:00 a.m. - 16:00 p.m.)

Well sampling for Water Quality purposes may be in addition to above schedules and will be conducted after 10:30 a.m. and before 2:00 p.m. on a quarterly basis. The wells need to run for approximately 20 min for this sampling.

(< 20 cfs for 5 consecutive days at the Don Juan gauging station) or non-usage, the above schedule will be utilized.

U:\kevan\Flows\QWB\Maintenance Pump Schedule 2014.xls