

Submitted at 12/5/14  
Water Demand  
Committee by  
Mike Zimmerman  
Item 2

**Example #1**

Serves Breakfast and Dinner only (no lunch)  
No separate meter

**# of seats**

Indoor	75	69%
Outdoor	34	31%
Total seats	109	100%

**Dinner Covers**

	<u>Average</u>	<u>High</u>	<u>Low</u>
Jan	52	101	14
Feb	62	157	14
Mar	68	158	26
Apr	75	152	19
May	67	112	30
Jun	68	127	26
Jul	72	110	34
Aug	81	145	40
Sep	63	111	39
Oct	55	105	35

**Conclusion**

On average the number of indoor seats available is more than adequate to cover the demand over the 10 month period.

On even the highest days which occurred in Feb, Mar and Apr when the outdoor seats would not be available due to weather the indoor seats satisfied the highest level of demand

The availability of outdoor seats merely accommodate guest preferences

## Example #2

Serves lunch and dinner along with evening bar business  
Has separate meter for restaurant

### # of seats

Indoor	146	65%
Outdoor	80	35%
Total seats	226	100%

### Water usage (per Cal Am water bills)

10/15 - 11/14	43,234
11/15 - 12/13	33,435
12/14 - 1/15	45,328
1/16 - 2/13	32,089
2/14 - 3/14	39,120
3/15 - 4/14	43,234
4/15 - 5/14	35,156
5/15 - 6/13	37,474
9/14 - 7/15	49,442
7/16 - 8/14	45,852
8/15 - 9/15	43,384
9/16 - 10/14	38,896

486,644 equates 1.49 acre feet

### Water Management Allocation

Indoor seats	146
Per seat	0.02

Total allocation 2.92 acre feet

% of allocation used with total seats (226 seats) 51.03%

### Conclusion

Even with a significant percentage of outdoor seats the usage remains well under the water allocation

# Commercial Usage

By tier

