## EXHIBIT 13-B

MPWMD Resolution 2001-09 - Page 3 of 3

## (2) Table No. 1: Fixture Unit Count

## TABLE I: RESIDENTIAL FIXTURE UNIT COUNT

	TYPE OF WATER FIXTURE	NO. OF FIXTURES	FIXTURE UNIT VALUE	FIXTURE UNIT COUNT
(1)	Wash basin, each (May have two wash basins for one fixture unit in Master bath)	· ————————————————————————————————————	x 1 unit	=
(2)	Toilet, ultra low-flow (1.6 gallons-per-flush)		x 1.7 units	= .
(3)	Toilet, ultra low-flow (1.0 gallon-per-flush)*		x 1.3 units	
(4)	Toilet, ultra low-flow (1/2 gallon-per-flush)*		x 1.0 units	=
(5)	Urinal (1.0 gallon-per-flush)		x 1 unit	=
(6)	Master bathroom only: Tub & separate shower		x 3 units	
(7)	Large bathtub (over 55 gallon capacity to overflow)		x 3 units	<u> </u>
(8)	Standard bathtub (may have showerhead above)	***************************************	x 2 units	
(9)	Shower, separate stall (up to two showerheads)		x 2 units	=
(10)	Shower, (each additional showerhead beyond two)		x 2 units	
(11)	Kitchen sink and dishwasher  If 7.66 gallons-per-cycle or less dishwasher, reduce by ½ ur	nit	x 2 units	=
(12)	Dishwasher (each additional)  If 7.66 gallons-per-cycle or less dishwasher, reduce by ½ u		x 2 units	=
(13)	Laundry sink/utility sink (APPLIES TO ONE SINK ONLY PER RESIDENCE)		x 2 units	<b>=</b> .
	Washing machine  ➤ If 18 gallons-per-cycle or less washing machine, reduce by  ➤ If 24 gallons-per-cycle or less washing machine, reduce by	I unit* ½ unit*	x 2 units	=
(15)	Bidet		x 2 units	
(16)	Bar sink		x 1 unit	
(17)	Vegetable sink		x 1 unit	
			x Tunt	
UBTO	OTAL INTERIOR FIXTURE UNIT COUNT		· · · · · · · · · · · · · · · · · · ·	
(18)	Landscaping - One-half the total of interior fixture units- NEW CON	NECTION O	NLY	
	Swimming pool (ea. 100 square-feet of pool surface)		x 1 unit =	
ОТА	L FIXTURE UNIT COUNT	· · · · · · · · · · · · · · · · · · ·		

Portable water fixtures, fountains, ponds, hot tub/spas, drinking fountains, pot fillers, outdoor showers, outdoor sinks, pet/livestock wash racks and water troughs, shall not be charged a connection charge, nor shall these fixtures and other water features not listed on Table I receive a Water Use Credit upon removal. Water Use Credits for multiple showerheads shall be limited to two (2) per shower stall. Fixtures that deviate from those listed on Table I shall be reviewed and assigned a fixture unit value according to Rule 24.

<sup>\*</sup> Deed restriction required