

## **EXHIBIT 3-B**

Anticipated Maintenance & Water Quality Pumping Schedule												
2025												
Wells	January	February	March	April	May	June	July	August	September	October	November	December
Scarlett Well No. 8	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed
Los Laureles Well No. 5	7	4	4	8	6	3	1	5	2	7	4	2
Los Laureles Well No. 6	8	5	5	9	7	4	2	6	3	8	5	3
Garzas Well No. 3	6 & 7	3 & 4	3 & 4	7 & 8	5 & 6	2 & 3	7 & 8	4 & 5	8 & 9	6 & 7	3 & 4	1 & 2
Garzas Well No. 4	8 & 9	5 & 6	5 & 6	9 & 10	7 & 8	4 & 5	9 & 10	6 & 7	10 & 11	8 & 9	5 & 6	3 & 4
Panetta Well No. 1	6 & 7	3 & 4	3 & 4	7 & 8	5 & 6	2 & 3	7 & 8	4 & 5	8 & 9	6 & 7	3 & 4	1 & 2
Panetta Well No. 2	8 & 9	5 & 6	5 & 6	9 & 10	7 & 8	4 & 5	9 & 10	6 & 7	10 & 11	8 & 9	5 & 6	3 & 4
Robles Well No. 3	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed
Scarlett Well No. 8, Los Laureles Well No. 5 and Well No. 6 will be pumped one day per month for 8 hours												
Garzas Wells No. 3 and No. 4 and Panetta Wells No. 1 and No. 2 will be pumped 2 days per week, one week per month for 8 hours per day.												
Robles Well No. 3 will be pumped two (2) hours per day, one (1) day per week, four (4) weeks per month.												
Well sampling for Water Quality purposes may be in addition to above schedules and will be conducted after 10:30 a.m. and before 2:00 p.m. on a quarterly basis.												
The wells need to run for approximately 20 min for this sampling.												
(< 20 cfs for 5 consecutive days at the Don Juan gauging station) or non-usage, the above schedule will be utilized.												
NOTE: The dates marked in RED are Holidays or days that Holidays are observed by the company. In these cases, the maintenance pump schedule will be performed on the nearest feasible regular workday schedule (ie. If a Monday is a holiday and a well is scheduled for a maintenance run, the nearest feasible day would be Tuesday. )												