



DRAFT
EXHIBIT 9-B

RESOLUTION NO. 2025-08
A RESOLUTION OF THE BOARD OF DIRECTORS OF THE
MONTEREY PENINSULA WATER MANAGEMENT DISTRICT
MODIFYING RULE 22E – MAP OF ZONE OF PROTECTED DRINKING WATER
AND CONTROLLED WELL DRILLING

WHEREAS, the Monterey Peninsula Water Management District has developed a set of rules to facilitate compliance by California American Water systems with the regulatory and legal water production limits set by the State Water Resources Control Board and the Seaside Basin Adjudication as administered by the Seaside Groundwater Basin Watermaster;

WHEREAS, Monterey One Water (M1W) was formed in 1972 to regionalize wastewater treatment on the Monterey Peninsula and became a Joint Powers Authority in the late 1980's. M1W operates a regional waste water plant north of the City of Marina and has been supplying the Castroville Seawater Intrusion Project treated water for irrigation since 1998;

WHEREAS, MPWMD is partnered with M1W in the construction and operation of the Pure Water Monterey (PWM), a water resources project that will produce 100% recycled water in compliance with Title 22 Section 60320.216 requirements laid out in the California Code of Regulations. ;

WHEREAS, Title 22 Section 60320.200 (e) Part 2 requires, “a boundary representing a zone of controlled drinking water well construction, the greatest of the horizontal and vertical distances reflecting the retention times required pursuant to sections 60320.208 and 60320.224.” Requiring a zone of moratorium on installing drinking water wells to be established around the PWM injection well field;

WHEREAS, Ordinance 183 established District Rule 20 and allows for the modification of the map depicting the Controlled Zone of Drinking Water related to PWM operations with a resolution from the Board of Directors,

WHEREAS, District Rule 20E specifies the map of the Zone of Controlled Drinking Water and Well Drilling, and

WHEREAS, it is necessary to modify the map in Ordinance 183 and Rule 20E to reflect the new Zone of Protected Drinking Water and Controlled Well Drilling to reflect the map that was approved by Department of Drinking Water in the Title 22 Engineering Report for Pure Water Monterey Expansion.

THEREFORE, BE IT RESOLVED:

1. District staff shall modify Exhibit 4 in Ordinance 183 with the map of Primary and Secondary Control Zones from the Title 22 Engineering Report for Pure Water Monterey Expansion.
2. Specifically, District staff shall replace Exhibit 4 in Ordinance 183 with figure 10-2 from the Title 22 Engineering Report which in turn will modify the map in Rule 22E (**Attachment 1**).

PASSED AND ADOPTED on this ____ day of ____ on motion by Director _____, seconded by Director _____, by the following vote:

AYES:

NAYES:

ABSENT:

I, David J. Stoldt, Secretary of the Board of Directors of the Monterey Peninsula Water Management District, hereby certify the foregoing resolution was duly adopted on the ____ day of ____ 2025.

Dated:

David J. Stoldt, Secretary to the Board

U:\staff\Boardpacket\2025\091525\Public Hearing\09\Item-9-Exh-9-B.docx

ATTACHMENT 1

**Figure 10-2 from Pure Water Monterey Title 22 Engineering Report
Depicting the Primary and Secondary Zones of Control for Pure Water Monterey**




Figure 10-2. Boundaries of the Primary and Secondary Control Zones