Submitted by staff
TABLE 2: NON-RESIDENTIAL WATER USE FACTORS at 2/18/15 TAC
Meeting. Them 4

Group I

Auto Uses

Retail Warehouse Dental Clinic

Office

Bank

Supermarket

Church

Nail Salon

Family Grocery

Medical Clinic

Wine Tasting Room

Fast Photo

Convenience Store

Dry Cleaner (No On-Site Laundry)

Veterinary Clinic

School

Gym

Group II

Users in this category prepare and sell food/beverages that are primarily provided to customers on disposable tableware. Food with high moisture content and liquid food may be served on reusable tableware. Pizza must be served on reusable platters or on disposable plates. Glassware may be used to serve beverages.

Bakery

Pizza

Coffee House

Ice Cream Shop

Catering

Deli

Bistro

Sandwich Shop

Group III

Assisted Living (more than 6 beds)1

Beauty Shop/Dog Grooming

Child/Alzheimer's Day Care

Dormitory²

Gas Station

Laundromat

Meeting Hall/Banquet Room

Motel/Hotel/Bed & Breakfast:

w/Large Bathtub (Add to room factor)

Irrigated Areas beyond ten feet of any building

Plant Nursery

Public Toilets

Public Urinals

Zero Water Consumption Urinal(s)

Restaurant (including Bar/Brewpub Seats)

Exterior Restaurant Seats above the "Standard Exterior Seat Allowance"³ Exterior Restaurant Seats within the "Standard Exterior Seat Allowance"

Restaurant (24-Hour and Fast Food)

Self-Storage

Skilled Nursing/Alzheimer's Care

Spa

Swimming Pool

Theater

0.085 AF/Bed

0.0567 AF/Station

0.0072 AF/Child-Person

0.040 AF/Room

0.0913 AF/Pump-Fuel Dispenser

0.2 AF/Machine

0.00053 AF/SF

0.1 AF/Room

0.03 AF/Tub

ETWU

0.00009 AF/SF-Total Land Area

0.058 AF/Toilet

0.036 AF/Urinal

No Value

0.02 AF/Interior Restaurant Seat

0.01 AF/Exterior Restaurant Seat

No Value

0.038 AF/Interior Restaurant Seat

0.0008 AF/Storage Unit

0.12 AF/Bed

0.05 AF/Spa

0.02 AF/100 SF of Surface Area

0.0012 AF/Seat

Group IV - MODIFIED NON-RESIDENTIAL USES

Users listed in this category have reduced water Capacity from the types of uses listed in Groups I-III and have received a Water Use Credit for modifications. The General Manager shall maintain a list of specific properties in this Group that have received a Water Use Credit pursuant to Rule 25.5 for permanent reduction in use. Please inquire for specific property information.

All New Connections: Refer to Rule 24-B, Exterior Non-Residential Water Demand Calculations

Notes: Any Non-Residential water use which cannot be characterized by one of the use categories set forth in Table 2 shall be designated as "other" and assigned a factor which has a positive correlation to the anticipated Water use Capacity for that Site.

Unenclosed structures are exempt from the Non-Residential Permit requirements and have no Water Credit value.

Assisted living Dwelling Units shall be permitted as Residential uses per Table 1, Residential Fixture Unit Count Values.

² Dormitory water use at educational facilities is a Residential use, although the factor is shown on Table 2.

³ See Rule 24-B-1 and Rule 25.5 for information about the "Standard Exterior Seat Allowance"