



INDUSTRIAL
ATMOSPHERIC WATER GENERATORS

FEATURES

- PROGRAMMABLE LOGIC CONTROL (PLC) INTERGRATION
- HUMAN MACHINE INTERFACE (HMI)
- CONSUMPTION REDUCTION BY 20% TO 30%
- VARIED COLOR SELECTION
- WATER GENERATION AS LOW AS 0 °C
- WATER GENERATION AS LOW AS 30% RELATIVE HUMIDITY
- COMPLETE SOLUTION WITH TRAILER AND POWER GENERATOR AVAILABLE



EcoloBlue Life & Energy
the echo of nature™

CONTACT INFORMATION

ECOLOBLUE USA

East Coast
3109 Grand Avenue #423
Miami, FL 33133 USA

West Coast
5702 Marsh Drive, Unit K
Pacheco, CA 94553

info@EcoloBlue.com
www.EcoloBlue.com

800-691-6043
925-231-0206



EcoloBlue Life & Energy



the echo of nature™

EcoloBlue Life & Energy



the echo of nature™

www.ecoloblue.com

Douglas Davis
Sales Manager

tel: 1-800-691-6043 Ext. 105
direct: 925-231-0645
fax: 925-609-9887
davisd@ecoloblue.com

INDUSTRIAL
ATMOSPHERIC
WATER GENERATORS



EB550



EB1000



EB1000



MODEL	PRODUCTION LITERS/DAY	WATER STORAGE CAPACITY/LITERS	ENERGY Kwh/Liters	SIZE (m) H x W x L	WEIGHT Kg
EcoloBlue™ 250	250	143.5	0.432	1.43 x 0.65 x 1.6	330
EcoloBlue™ 550	550	598	0.458	1.5 x 0.9 x 2.9	800
EcoloBlue™ 1000	1000	135	0.468	1.7 x 1.0 x 2.95	1100
EcoloBlue™ 3000	3000	200	0.488	1.8 x 1.8 x 8.5	3800
EcoloBlue™ 6000	6000	400	0.514	(1.8 x 1.8 x 8.5) x 2	4400

800 LITER STORAGE TANK AVAILABLE FOR ECOLOBLUE 1000, 3000, & 6000



THE FIRST ATMOSPHERIC WATER GENERATOR
TO MAKE SPARKLING
WATER
FROM THE HUMIDITY
IN THE AIR



INTRODUCING THE
EcoloBlue 30s™

ENJOY LIMITLESS
PURE SPARKLING WATER
FROM THE HUMIDITY
IN THE AIR

- Customizable carbonation
- Up to 30 liters per day
- 12-stage filter process, 280 watts
- Energy efficient and economical
- No water source needed
- No plastic bottles wasted



Order today at EcoloBlue.com



LEARN MORE AT ECOLOBLUE.COM

1-800-691-6043



EcoloBlue 30s™

Customizable Carbonization

8 Gallons a day (30 liters)

12-stage filter process

40% more Energy Efficient



Available in the following colors:



PLUG & PLAY INSTALLATION:


Easy to set-up and maintain | 1-year full warranty | 30 day money back guarantee

FEATURES



Fully Adjustable CO2

- Cleans air, reduces humidity
- Easier tank/filter access
- Larger water storage tank




100% biodegradable packaging



LCD touchscreen interface for ultra-specific control

- Total temperature control
- Auto-shut-off
- 110V AC & 220V AC



Low power consumption

SEAMLESS POWER INTEGRATION



12v DC inverters



Portable generators



Solar panels



Wind turbines

YOUR NEW MACHINE COMES READY TO OPERATE WITH ALL THE FILTERS AND A CO₂ CANISTER PRE-INSTALLED

The EcoloBlue 30s is equipped with a 12-stage Water-From-Air Filtration System that includes Charcoal Filters, Carbon Filters, a Mineral Filter, a Filmtec Reverse Osmosis Membrane, a Post Carbon Filter, and 3 Philips UV Sterilization Lamps. The system features a Stainless steel bottom water collection tank and a 3 Gallon Stainless steel top dispenser tank equipped with UV Spectrum Filters.

The EcoloBlue 30s includes 1 refillable CO₂ Canister. Additional Canisters sold separately.

6 MONTH PACK	Filter life	Quantity	6 MONTH PACK	Filter life	Quantity	
EF1 Carbon Filter	6 months	1	Reverse Osmosis	2 years	1	
EF2 Carbon Filter	6 months	1	UV Lamp 1 Bottom Tank	2 years	1	
EF3 Carbon Filter	6 months	1	UV Lamp 2 Top Tank	2 years	1	
EF4 Mineral Filter	6 months	1	UV Lamp 3 Dispenser	2 years	1	
Charcoal Bottom Filter	3 months	2	CO₂ Canister		Canister life	Quantity
Air Filter Fabric	6 months	1	1 Canister	60 L/23 Gal	1	
Nanometer Faucet	6 months	1				

ATMOSPHERIC WATER PRODUCTION CAPACITY

Water production during a 24 hour period

Temperature range:

15°C ~40°C

59°F ~ 104°F


HUMIDITY %

30 35 40 50 60 70 80 90

7.5 10 14 18.5 22 25 28.5 33 Gal

2 2.6 3.7 5 5.8 6.6 7.5 8.7 L

PRODUCTION CAPACITY (GALLONS and LITERS)



DIMENSIONS

The EcoloBlue™ model 30s footprint:

- weighs approximately 110lbs (49kg)
- stands 44" tall (111cm)
- 18" wide (45cm)
- 17" deep (43cm)





ASSERT YOUR WATER INDEPENDENCE



INTRODUCING THE
EcoloBlue 30™


PURE, DELICIOUS,
ENDLESS DRINKING
WATER MADE FROM
THE AIR AROUND YOU.

- 8 gallons a day (over 30 liters)
- 12-stage filter process
- Energy efficient and economical
- No water source needed
- No plastic bottles wasted



Order yours today at ecoloblue.com

PURE
PERFECT
WATER
MADE OUT OF THIN
AIR



LEARN MORE AT ECOLOBLUE.COM
1-800-691-6043



EcoloBlue 30™

8 Gallons a day (30 liters)

12-stage filter process

40% more Energy Efficient

Brand new, improved design



Available in the following colors:



Silver



White



Black

PLUG & PLAY INSTALLATION: Easy to set-up and maintain | 1-year full warranty | 30 day money back guarantee

FEATURES



LCD touchscreen interface

- Improved filter access
- Easier tank access
- Larger water storage tank



100% biodegradable packaging



Recycles and cleans the air, reduces humidity

- Total temperature control
- Auto-shut-off
- 110V AC & 220V AC



Low power consumption

SEAMLESS POWER INTEGRATION



12v DC inverters



Portable generators



Solar panels



Wind turbines

YOUR NEW MACHINE COMES READY TO OPERATE WITH ALL THE FILTERS PRE-INSTALLED FOR YOU

The EcoloBlue 30 is equipped with a 12-stage Water-From-Air Filtration System that includes Charcoal Filters, Carbon Filters, a Mineral Filter, a Filmtec Reverse Osmosis Membrane, a Post Carbon Filter, and 3 Philips UV Sterilization Lamps. The system features a stainless steel bottom water collection tank and a 3 Gallon stainless steel top dispenser tank equipped with UV Spectrum Filters.

6 MONTH PACK	Filter life	Quantity	2 YEAR PACK	Filter life	Quantity
EF1 Carbon Filter	6 months	1	Reverse Osmosis	2 years	1
EF2 Carbon Filter	6 months	1	UV Lamp 1 Bottom Tank	2 years	1
EF3 Carbon Filter	6 months	1	UV Lamp 2 Top Tank	2 years	1
EF4 Mineral Filter	6 months	1	UV Lamp 3 Dispenser	2 years	1
Charcoal Bottom Filter	3 months	2			
Air Filter Fabric	6 months	1			
Nanometer Faucet	6 months	1			

ATMOSPHERIC WATER PRODUCTION CAPACITY

Water production during a 24 hour period

Temperature range:

15°C ~40°C


59°F ~ 104°F

HUMIDITY %

30 35 40 50 60 70 80 90

7.5 10 14 18,5 22 25 28,5 33

PRODUCTION CAPACITY (LITERS)



DIMENSIONS OF THE ECOLOBLUE UNIT

The EcoloBlue™ model 30 footprint:

- weighs approximately 110lbs (49kg)
- stands 44" tall (111cm)
- 18" wide (45cm)
- 17" deep (43cm)

