

**ORDINANCE NO. 24****AN ORDINANCE OF THE BOARD OF DIRECTORS OF THE MONTEREY PENINSULA  
WATER MANAGEMENT DISTRICT  
CLARIFYING THE REGULATION OF SHORT-TERM WATER METERS**

WHEREAS, short-term water meters are regularly used for construction purposes on the Monterey Peninsula; and

Whereas, no specific purpose is served by regulation of short-term water meters;

NOW THEREFORE, BE IT RESOLVED That short-term water meters shall be exempt from regulation by the Rules and Regulations of the Monterey Peninsula Water Management District. The definition of the word "Connection" as set forth in Rule 11 of the Rules and Regulations of the Monterey Peninsula Water Management District shall be amended as follows:

"CONNECTION - "Connection" means the point of intersection where a user gains access to the Water Distribution System. Where a water-measuring device is installed, the Water Distribution System shall include the water-measuring device and the connection shall be the nearest point of user access beyond the water-measuring device. Where a water-measuring device is removed, relocated or resized, the former connection shall cease to exist. Where any permit is transferred in contravention of Rule 28, the connection(s) affected by said permit shall cease to exist. For the purpose of these Rules and Regulations, access for fire

protection and or access for short-term use through a hydrant meter installed with the consent of the Water Distribution System, shall not be deemed a connection. Each new connection, based upon projected quantity of water use, shall be categorized as either "Residential", "Commercial", or "Industrial."

Residential Connection: Unless otherwise determined by the General Manager, on a case-by-case determination, any house, apartment or other living quarters intended for residential use.

Commercial Connection: Unless otherwise determined by the General Manager, on a case-by-case determination, any business or manufacturing company that requires a separate water service where the water is not used principally in the manufacturing or processing function including, but not limited to, offices, retail stores, hospitals, churches, gas stations and service businesses.

Industrial Connection: Unless otherwise determined by the General Manager, on a case-by-case determination, any manufacturing or processing function, including but not limited to factories, refineries, bottling plants, nurseries, laundries and golf courses.

On motion of Director McClintock, and second by Director DeBerry, the foregoing ordinance is duly adopted this 11th day of November, 1985 by the following votes:

AYES: Directors McClintock, Townsend, DeBerry, Bernardi Heuer, Williams and Strasser Kauffman

NAYES: None

ABSENT: None

I, Gladys McKillop, Secretary of the Board of Directors of the Monterey Peninsula Water Management District, hereby certify that the foregoing is a full, true and correct copy of an ordinance duly adopted on the 11th day of November, 1985.

Witness my hand and seal of the Board of Directors this 14th day of November, 1985.

  
 Gladys McKillop, District Secretary