



**RESOLUTION NO. 2019-11**

**RESOLUTION OF THE BOARD OF DIRECTORS OF THE  
MONTEREY PENINSULA WATER MANAGEMENT DISTRICT  
CERTIFYING ADDENDUM 5  
TO THE AQUIFER STORAGE AND RECOVERY EIR/EA**

**WHEREAS**, the Board of Directors of the Monterey Peninsula Water Management District (MPWMD) has directed that its staff pursue Aquifer Storage and Recovery (ASR) as a means to facilitate conjunctive use of local water resources for the benefit of the environment and the community; and

**WHEREAS**, MPWMD adopted Findings Related to the Certification of the MPWMD Phase 1 Aquifer Storage and Recovery Project EIR and Determining Compliance with the California Environmental Quality Act, adopted the Mitigation and Monitoring Plan, certified the Final Environmental Impact Report/Environmental Assessment (EIR/EA) for the Phase 1 ASR Project, and approved the Phase 1 ASR Project on August 21, 2006; and

**WHEREAS**, MPWMD approved and adopted the April 2012 Addendum to the Phase 1 ASR EIR/EA, adopted the April 2012 Mitigation Monitoring Plan, and approved the full implementation of ASR Water Project 2 on April 16, 2012; and

**WHEREAS**, MPWMD approved the Hilby Avenue Pump Station and adopted the June 2016 Hilby Avenue Pump Station Addendum as Addendum 2 to the Aquifer Storage and Recovery Project Environmental Impact Report/Environmental Assessment on June 20, 2016; and

**WHEREAS**, MPWMD approved a realignment of a segment of the Monterey Pipeline and adopted the February 2017 Monterey Pipeline Addendum as Addendum 3 to the ASR EIR/EA on February 22, 2017; and

**WHEREAS**, MPWMD approved an expansion to the backflush basin and adopted the July 2018 Backflush Basin Expansion Addendum as Addendum 4 to the ASR EIR/EA on July 16, 2018; and

**WHEREAS**, MPWMD has followed guidelines of the California Environmental Quality Act (CEQA) and prepared the Water Treatment Facility Modification Addendum to modify the approved ASR Phase 1 Project by allowing the construction of a new water treatment building and above-grade treatment works, as well as related water treatment piping and associated infrastructure; and

**WHEREAS**, MPWMD has prepared Findings of Environmental Review for the Backflush Basin Expansion Addendum to the ASR EIR/EA, attached hereto as **Attachment A** and hereby incorporated by reference.

**NOW THEREFORE, BE IT RESOLVED:**

We, the Board of Directors of the Monterey Peninsula Water Management District, certify the Water Treatment Facility Modification Addendum as a true and accurate statement of the environmental impacts of the construction of the Water Treatment Facility Project; and

Adopt the June 2019 Water Treatment Facility Modification Addendum as Addendum 5 to the ASR EIR/EA, which found that the proposed modifications to the approved ASR Phase 1 Project would not result in a measurable increase in environmental impacts over what was previously analyzed in the 2006 ASR EIR/EA, the 2012 ASR Phase 2 Addendum, the Hilby Avenue Pump Station Addendum, the Monterey Pipeline Addendum, and the Backflush Basin Expansion Addendum; and

Directs staff to post a Notice of Determination of this action in accordance with Section 15094 of the CEQA Guidelines.

On motion of Director Potter and second by Director Riley, the foregoing resolution is duly adopted this 15<sup>th</sup> day of July 2019 by the following votes:

AYES: Directors Potter, Riley, Adams, Byrne, Edwards, Evans and Hoffmann  
NAYS: None  
ABSENT: None

I, David J. Stoldt, Secretary to the Board of Directors on the Monterey Peninsula Water Management District, hereby certify that the foregoing is a resolution duly adopted on the 15<sup>th</sup> day of July 2019.

Witness my hand and seal of the Board of Directors this 22<sup>nd</sup> day of August 2019.



David J. Stoldt, Secretary to the Board

**ATTACHMENT A**

**FINDINGS OF ENVIRONMENTAL REVIEW  
FOR THE  
BACKFLUSH BASIN EXPANSION ADDENDUM TO THE  
ASR EIR/EA**

- 1) **FINDING:** The Monterey Peninsula Water Management District (MPWMD) Board of Directors adopted the Findings Relating to Certification of the MPWMD Phase 1 Aquifer Storage and Recovery Project EIR and Determining Compliance with the California Environmental Quality Act, adopted the Mitigation Monitoring Plan, certified the Final Aquifer Storage and Recovery (ASR) Environmental Impact Report/Environmental Assessment (EIR/EA) for the Phase 1 ASR Project, and approved the Phase 1 ASR Project on August 21, 2006.

**EVIDENCE:** The ASR EIR/EA and related documents are on file in the MPWMD office.

- 2) **FINDING:** The MPWMD Board of Directors approved and adopted the April 2012 Addendum to the Phase 1 EIR/EA as Addendum 1 to the ASR EIR/EA, adopted the April 2012 Mitigation Monitoring Plan for ASR Water Project 2, and approved the full implementation of ASR Water Project 2 on April 16, 2012.

**EVIDENCE:** Addendum 1 and related documents are on file in the MPWMD office.

- 3) **FINDING:** The MPWMD Board of Directors approved the Hilby Avenue Pump Station and adopted the June 2016 Hilby Avenue Pump Station Addendum as Addendum 2 to the ASR EIR/EA on June 20, 2016

**EVIDENCE:** Addendum 2 and related documents are on file in the MPWMD office.

- 4) **FINDING:** The MPWMD Board of Directors approved a realignment of a segment of the Monterey Pipeline and adopted the February 2017 Monterey Pipeline Addendum as Addendum 3 to the ASR EIR/EA on February 22, 2017.

**EVIDENCE:** Addendum 3 and related documents are on file in the MPWMD office.

- 5) **FINDING:** The MPWMD Board of Directors approved an expansion to the backflush basin and adopted the July 2018 Backflush Basin Expansion Addendum as Addendum 4 to the ASR EIR/EA on July 16, 2018; and

**EVIDENCE:** Addendum 4 and related documents are on file in the MPWMD office.

- 6) **FINDING:** MPWMD followed the California Environmental Quality Act (CEQA) Guidelines Sections 15162 and 15164 to determine that an Addendum evaluating the environmental effect of the Water Treatment Facility Modification Project and related

improvements (together hereinafter referred to as Project) is appropriate based on the following:

- a. The Project would not result in new significant environmental effects or a substantial increase in the severity of previously identified significant effects; and
- b. No changes in circumstances have occurred involving new significant environmental effects or a substantial increase in the severity of previously identified significant effects; and
- c. No new information of substantial importance which was not known and could not have been known at the time of the previous EIR/EA and Addenda were found.

The MPWMD Board of Directors at their July 15, 2019 meeting reviewed the Water Treatment Facility Modification Addendum (Addendum 5).

**EVIDENCE:**

- a. Construction and operation environmental impacts and mitigation measures at the Phase 1 ASR Project site were previously considered with the ASR EIR/EA; and
- b. The proposed Project requires grading and the construction and operation of a water treatment facility and related infrastructure. The site was previously cleared as part of the backflush expansion project. The project's potential environmental effects are similar to impacts previously considered in the ASR EIR/EA and subsequent Addenda including impacts to air quality, noise, and sensitive species; and
- c. All appropriate measures to reduce impacts to less than significant described in the adopted ASR EIR/EA Mitigation and Monitoring Programs would apply to the Project; and
- d. The proposed Project would not result in any new significant environmental effects that cannot be mitigated with existing, previously identified mitigation measures in the ASR EIR/EA.
- e. The proposed Project would not substantially increase the severity of environmental effects identified in the ASR/EIR and its Addenda; and
- f. No new information of substantial importance has been identified or presented to MPWMD Board of Directors that the Project would result in significant environmental effects not identified in the ASR EIR/EA and its Addenda, more severe environmental effects than described in the ASR EIR/EA and its Addenda, or require mitigation measures which were previously determined not to be feasible or are considerably different from those recommended in the ASR EIR/EA and its Addenda; and
- g. The Agenda and supporting documents for the July 15, 2019 Board Meeting are on file in the District office.

- 7) **FINDING:** Addendum 5 reflects the independent judgement of the MPWMD Board, and each participating Director has reviewed and considered the information contained in the Addendum and related documents prior to making the decision on the Addendum.

*Attachment to MPWMD Resolution No. 2019-11  
Certifying Addendum 5 to the Aquifer Storage and Recovery EIR/EA*

**EVIDENCE:** Each Director on the Board received a copy of Addendum 5 and supporting documents as evidenced by the July 15, 2019 Board meeting packet.

- 8) FINDING:** The MPWMD Board finds that the proposed modifications to the approved ASR Phase 1 Project would not result in a measurable increase in environmental impacts over what was previously analyzed in the August 21, 2006 ASR EIR/EA and subsequent Addenda.

**EVIDENCE:** The above stated facts.