



FINAL

RESOLUTION NO. 2020-19
A RESOLUTION OF THE BOARD OF DIRECTORS OF THE
MONTEREY PENINSULA WATER MANAGEMENT DISTRICT
MODIFYING RULE 160 – REGULATORY PRODUCTION TARGETS FOR
CALIFORNIA AMERICAN WATER SYSTEMS

WHEREAS, the Monterey Peninsula Water Management District has developed a set of rules to facilitate compliance by California American Water systems with the regulatory and legal water production limits set by the State Water Resources Control Board and the Seaside Basin Adjudication as administered by the Seaside Groundwater Basin Watermaster;

WHEREAS, District Rule 160 specifies the regulatory water production targets that are used to trigger higher stages of water conservation to ensure compliance with these legal and regulatory water production limits;

WHEREAS, these limits are subject to change by action of the State Water Resources Control Board and Seaside Groundwater Basin Watermaster;

WHEREAS, the State Water Resources Control Board adopted Order WR 2016-0016 on July 19, 2016, which requires California American Water to divert no more than 7,310 acre-feet in Water Year 2020 from its Carmel River system sources;

WHEREAS, the Monterey County Superior Court adopted an Amended Decision in the Seaside Groundwater Basin Adjudication on February 9, 2007 (*California American Water v. City of Seaside, et al.*, Case No. M66343), which requires California American Water to divert no more than 1,474 acre-feet from the Coastal Subareas and 0 acre-feet from the Laguna Seca Subarea of the Seaside Groundwater Basin in Water Year 2021;

WHEREAS, the Seaside Groundwater Basin Watermaster has not yet determined the amount of carryover credit, if any, that California American Water has from Water Year 2020 that will be available for diversion in Water Year 2021; and

WHEREAS, it is necessary to modify the monthly and year-to-date at month-end water production targets in Tables XV-1, XV-2 and XV-3 to reflect the projected quantities of production available to California American Water for diversion from the Carmel River and Seaside Groundwater Basins for Water Year 2021.

NOW THEREFORE, BE IT RESOLVED:

1. District staff shall modify Tables XV-1, XV-2 and XV-3 of District Rule 160 to reflect the projected quantities of production available to California American Water for diversion from the Carmel River and Seaside Groundwater Basins for Water Year 2021.
2. Specifically, District staff shall replace the monthly and year-to-date at month-end values presently shown in Tables XV-1, XV-2 and XV-3 of Rule 160 with the monthly and year-to-date at month-end values shown on the attached tables (**Attachment 1**).

On motion of Director Evans, and second by Director Potter, the foregoing resolution is duly adopted this 14th day of December 2020, by the following votes:

AYES: Directors Evans, Potter, Anderson, Edwards, Paull, Potter and Riley

NAYES: None

ABSENT: None

I, David J. Stoldt, Secretary of the Board of Directors of the MPWMD, hereby certify that the foregoing is a full, true and correct copy of a resolution duly adopted on the 14th day of December 2020.

Witness my hand and seal of the Board of Directors, this 21st day of January 2021.



David J. Stoldt, Secretary to the Board

Table XV-1
Regulatory Water Production Targets
for All California American Water Systems from Sources
Within the Monterey Peninsula Water Resource System

(All Values in Acre-Feet)

Month	Monthly Target	Year-to-Date at Month-End Target
October	802	802
November	656	1,458
December	607	2,065
January	664	2,729
February	594	3,323
March	693	4,016
April	697	4,713
May	793	5,506
June	791	6,297
July	848	7,145
August	851	7,996
September	788	8,784
TOTAL	8,784	---

Notes:

Monthly and year-to-date at month-end production targets are based on the annual production limit specified for the California American Water (Cal-Am) systems for Water Year (WY) 2020 from Carmel River sources per State Water Resources Control Board Order WR 2016-0016 (7,310 acre-feet) and adjusted annual production limits specified for the Cal-Am satellite systems from its Coastal Subarea sources (1,474 acre-feet) and Laguna Seca Subarea sources (0 acre-feet) of the Seaside Groundwater Basin per the Seaside Basin adjudication decision. These values do not include consideration of any carryover credit in the Seaside Basin for WY 2020. This combined total (8,784 acre-feet) was distributed monthly based on Cal-Am's reported monthly average production for its main and satellite systems during the 2013 through 2018 period.

Table XV-2
Regulatory Water Production Targets
for California American Water Satellite Systems from Sources
Within the Monterey Peninsula Water Resource System

(All Values in Acre-Feet)

Month	Monthly Target	Year-to-Date at Month-End Target
October	0	0
November	0	0
December	0	0
January	0	0
February	0	0
March	0	0
April	0	0
May	0	0
June	0	0
July	0	0
August	0	0
September	0	0
TOTAL	0	---

Notes:

Monthly and year-to-date at month-end production targets are based on the adjusted annual production limit specified for the California American Water (Cal-Am) satellite systems for Water Year 2021 from its sources in the Laguna Seca Subarea of the Seaside Groundwater Basin per the Seaside Basin adjudication decision. This Laguna Seca Subarea total (0 acre-feet) was distributed monthly based on Cal-Am's reported monthly average production for its satellite systems during the 2013 through 2018 period.

Table XV-3
Regulatory Water Production Targets
for California American Water Systems from Carmel River Sources
Within the Monterey Peninsula Water Resource System

(All Values in Acre-Feet)

Month	Monthly Target	Year-to-Date at Month-End Target
October	667	667
November	545	1,213
December	506	1,719
January	553	2,272
February	494	2,766
March	577	3,343
April	580	3,923
May	660	4,583
June	659	5,241
July	706	5,947
August	708	6,655
September	655	7,310
TOTAL	7,310	---

Notes:

Monthly and year-to-date at month-end production targets are based on the annual production limit specified for California American Water (Cal-Am) for Water Year (WY) 2021 from its Carmel River system sources per State Water Resources Control Board Order WR 2016-0016 (8,310 acre-feet). This amount was distributed monthly based on Cal-Am's reported monthly average production for its Main system sources during the 2013 through 2018 period. These values incorporate consideration of thetriennial reductions specified for the Cal-Am systems in the Seaside Basin adjudication decision, in setting the monthly maximum production targets from each source as part of the MPWMD Quarterly Water Supply Budget Strategy.