

## **Board of Directors**

Molly Evans, Chair –
Division 3
Alvin Edwards, Vice Chair –
Division 1
George Riley – Division 2
Jeanne Byrne – Division 4
Gary Hoffmann – Division 5
Mary Adams, Monterey
County Board of
Supervisors Representative
Vacant – Mayoral
Representative

## General Manager David J. Stoldt

## **AGENDA**

## LISTENING SESSION Monterey Peninsula Water Management District

January 7, 8, 9, 10 and 15, 2019, 6 pm Meeting Locations Listed Below

- 1. Welcome and Introductions
- 2. Overview of process for development of feasibility study on public ownership of the Monterey Peninsula water system David Stoldt, General Manager
- 3. Receive public comment Please limit your comment to three (3) minutes
- 4. Review results from compilation of ranking sheets
- 5. Adjourn

Listening Session Schedule – All Sessions Begin at 6 PM	
Division 1 - Monday, January 7, 2019	Seaside City Council Chambers, 440 Harcourt Ave, Seaside
Division 2 - Tuesday, January 8, 2019	MPWMD Office, 5 Harris Court, Bldg. G, Monterey
Division 3 - Wednesday, January 9, 2019	Monterey City Council Chambers, 580 Pacific, Monterey
Division 4 - Thursday, January 10, 2019	Pacific Grove Council Chambers, 300 Forest Ave., Pacific Grove
Division 5 - Tuesday, January 15, 2019	Carpenter Hall, Sunset Center, 9th Ave & San Carlos St., Carmel

Upon request, MPWMD will make a reasonable effort to provide written agenda materials in appropriate alternative formats, or disability-related modification or accommodation, including auxiliary aids or services, to enable individuals with disabilities to participate in public meetings. MPWMD will also make a reasonable effort to provide translation services upon request. Please send a description of the requested materials and preferred alternative format or auxiliary aid or service by 5 pm on Thursday, January 3, 2019. Requests should be sent to the Board Secretary, MPWMD, P.O. Box 85, Monterey, CA, 93942. You may also fax your request to the Administrative Services Division at 831-644-9560, or call 831-658-5600.