



General Manager's Report Item 9:

Status Report on Cal-Am Compliance
with SWRCB Orders and Seaside Basin
Decision as of October 1, 2025

Meeting Date: October 20, 2025

Staff contact: Jonathan Lear

PWM Expansion Ribbon-Cutting October 2nd



PWM Expansion Public Open House October 4th



Mulch Madness October 11th



Production for Customer Service for Cal-Am: Water Year 2025


(All Values in Acre-Feet)

Monthly Production from all Sources for Customer Service: WY 2025


	Carmel River Basin	Table 13	Mal Paso	Seaside Basin	ASR Recovery	PWM Recovery	Sand City	Total
Oct-25	296	0	9	250	0	270	28	852
Nov-25	382	0	9	43	0	285	14	733
Dec-25	318	0	9	40	0	278	17	662
Jan-26	194	0	5	209	0	242	15	666
Feb-26	31	75	7	107	0	349	0	568
Mar-26	42	88	8	109	0	373	22	642
Apr-26	319	20	8	108	0	237	0	692
May-26	479	0	8	114	0	204	19	824
Jun-26	318	0	6	110	0	402	16	853
Jul-26	288	0	7	113	0	446	16	871
Aug-26	355	0	7	192	0	349	8	911
Sep-26	268	0	8	289	0	244	9	818
Total	3,291	182	91	1,684	0	3,680	164	9,092
WY 2024	3,347	410	73	1,682	0	3,355	105	8,972

1. This table is produced as a proxy for customer demand.
2. Numbers are provisional and are subject to correction.


Production by Source Last 10 Years (All Values in Acre-Feet)




Production for Customer Service Last 25 Years (All Values in Acre-Feet)



Monthly Recorded Rainfall at San Clemente Rain Gage: Water Year 2025



Estimated Unimpaired Carmel River Flow at Sleepy Hollow Weir: Water Year 2025



Storage in Carmel River as of May 1

Last 30 Years

(All Values in Acre-Feet)

Water Year	Rainfall at San Clemente Dam (Inches)	Type of Water Year	Lower Valley Storage May 1st (AF)	Percent Full	Upper Valley Storage May 1st (AF)	Percent Full	CV Combined Storage as of May 1st (AF)	Percent Combined versus Potential
2024	24.17	Above Normal	20,338.99	92.76%	6,224.33	95.30%	26,563.32	93.34%
2023	35.23	Extremely Wet	20,839.35	95.04%	6,227.57	95.35%	27,066.92	95.11%
2022	13.23	Dry	20,141.52	91.86%	6,161.45	94.34%	26,302.96	92.43%
2021	10.85	Critically Dry	20,178.98	92.03%	6,170.24	94.48%	26,349.22	92.59%
2020	17.57	Normal	20,357.89	92.84%	6,241.41	95.57%	26,599.30	93.47%
2019	30.93	Wet	20,427.27	93.16%	6,380.96	97.70%	26,808.23	94.20%
2018	13.52	Dry	20,305.20	92.60%	6,194.80	94.85%	26,500.01	93.12%
2017	32.22	Extremely Wet	20,466.35	93.34%	6,087.88	93.22%	26,554.23	93.31%
2016	22.25	Above Normal	20,187.83	92.07%	6,150.55	94.17%	26,338.38	92.55%
2015	16.04	Below Normal	19,801.01	90.30%	5,936.31	90.89%	25,737.32	90.44%
2014	10.61	Critically Dry	18,086.94	82.49%	5,883.07	90.08%	23,970.01	84.23%
2013	14.60	Dry	19,435.05	88.64%	6,017.22	92.13%	25,452.27	89.44%
2012	13.94	Dry	19,965.03	91.05%	6,303.76	96.52%	26,268.80	92.31%
2011	24.73	Above Normal	20,201.98	92.13%	6,324.24	96.83%	26,526.21	93.21%
2010	27.46	Wet	20,309.41	92.62%	6,391.36	97.86%	26,700.77	93.83%
2009	18.14	Normal	20,371.00	92.90%	6,110.00	93.55%	26,481.00	93.05%
2008	19.61	Normal	20,190.00	92.08%	6,202.00	94.96%	26,392.00	92.74%
2007	11.81	Critically Dry	20,046.00	91.42%	6,015.00	92.10%	26,061.00	91.58%
2006	28.03	Wet	21,104.00	96.25%	6,146.00	94.11%	27,250.00	95.76%
2005	29.95	Wet	20,994.00	95.74%	6,290.00	96.31%	27,284.00	95.87%
2004	18.16	Normal	20,630.00	94.08%	6,117.00	93.66%	26,747.00	93.99%
2003	24.29	Above Normal	20,706.00	94.43%	6,232.00	95.42%	26,938.00	94.66%
2002	15.56	Below Normal	20,780.00	94.77%	6,223.00	95.28%	27,003.00	94.89%
2001	20.99	Normal	20,993.00	95.74%	6,359.00	97.37%	27,352.00	96.11%
2000	20.37	Normal	21,292.00	97.10%	6,176.00	94.56%	27,468.00	96.52%
1999	17.41	Normal	21,381.00	97.51%	6,296.00	96.40%	27,677.00	97.26%
1998	46.29	Extremely Wet	21,853.00	99.66%	6,324.00	96.83%	28,177.00	99.01%
1997	21.67	Above Normal	20,840.00	95.04%	6,278.00	96.13%	27,118.00	95.29%
1996	22.40	Above Normal	21,127.00	96.35%	6,356.00	97.32%	27,483.00	96.57%
1995	36.29	Extremely Wet	21,750.00	99.19%	6,482.00	99.25%	28,232.00	99.21%
Average:							26,713.36	

Storage in Carmel River as of May 1 Last 30 Years (All Values in Acre-Feet)

